P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2020.26.02.167

Aging and Immune System: An Overview

SNEHA KANNAN¹, N.P MURALIDHARAN^{2*}, GANESH LAKSHMANAN³

¹Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai 77, India

²Associate Professor, Department of Microbiology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai 77, India.

³Senior lecturer, Department of Anatomy, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Saveetha University, Chennai 77, India.

* Corresponding Author

Email: 151801046.sdc@saveetha.com¹, muralidharan@saveetha.com², ganeshl.sdc@saveetha.com³

Abstract: The world is seeing a quick segment move towards a more established populace, a pattern with significant clinical, social, monetary and political ramifications. Maturing is a multifaceted procedure, including various sub-atomic and cell components with regards to various organ frameworks. A urgent part of maturing is a lot of useful and auxiliary adjustments in the invulnerable framework that can show as a diminished capacity to battle contamination, lessened reaction to inoculation, increased incidence of cancer, higher prevalence of autoimmunity and constitutive low- grade inflammation, among others. In addition to cell-intrinsic changes in both innate and adaptive immune cells, alteration in the stromal microenvironment in primary and secondary lymphoid organs plays an important role in age-associated immune dysfunction. This review will provide a broad overview of these phenomena and point out some of their clinical and therapeutic implications. This review study setting, discussing the gradual aging immune system. Data for this study is collected from different search engines like PubMed, Google Scholar, MeSH, Semantic scholar, Cochrane, NCBI, Medline, core science. A total of 53 articles were selected. The aging of the immune system is associated with dramatic changes in the distribution and competence of immune cells. Anti-Aging therapy should aim at prolonging T cells' survival while weakening inflammation prone to innate immunity.

Keywords: immune aging; t cells; DNA damage; immunosenescence; endocrine disorder; inflammation.

INTRODUCTION

Aging is one of the most intricate and complex biological phenomena(Zierer et al., 2015). A comprehensive understanding requires an integrated approach to all physiological systems. This has captured human imagination from immemorial centuries and the search for a Fountain of Youth is still ongoing (Yashin and Jazwinski, 2014). The concept of immunosenescence reflects age-related change in immune response, both cellular and serological, affecting the process of generating specific responses to foreign and self - antigen (Yashin and Jazwinski, 2014; Cohen, 2016). The decline of the immune system with age is reflected in the increased susceptibility to infectious disease, poorer response to vaccination, increased prevalence of cancer, autoimmune and other chronic diseases (Girija et al., 2019). The metabolic changes of the aging body, including the increased presence of apoptotic cells and of oxidative stress, even in healthy conditions, induce the immune system to change its "quiescent" state to a different, often higher level of basal activation (Fulop et al., 2015). Consequently, the immune reactivity of healthy elderly people is qualitatively and quantitatively different from that of healthy adults (Fulop et al., 2015; Selvakumar and Np, 2017). Thus, different "normal" thresholds should be considered in the healthy aging population. By identifying the features of the normal response by the aging immune system, it would then be possible to better identify pathological responses(M, Geetha and Thangavelu, 2019). Progress in understanding the cellular and molecular basis of immune senescence and immune responsiveness in the elderly will allow us to develop a better targeted and effective immunization strategy(Girija et al., 2019; M, Geetha and Thangavelu, 2019). Combating immunological aging, differences in immune responses in aged individuals often lead to a state of immunological frailty or immunosenescence(Girija, Priyadharsini and Paramasivam, 2019). Immunological frailty can be addressed through diverse strategies, including preventing infectious diseases (vaccination), ensuring adequate nutrition and physical exercise, and maintaining a high level of intellectual challenge (Pawelec, 2017). However,

implementation of such measures is a problem of resources and of public health strategies, in particular in less developed countries.

In reference to vaccination in the elderly, there is evidence that vaccination in the elderly delays the transition from the so-called "young-old" to "old-old." However, it remains difficult to identify which age groups within the elderly population should be particularly targeted by vaccination (Girija, Jayaseelan and Arumugam, 2018). Reliable and robust biomarkers of vaccine-induced protection in the elderly (correlates of protective immunity) are needed (Xu and Larbi, 2017). In addition, the immune reactivity of the elderly to vaccination should be improved without triggering potentially adverse inflammatory reactions (Pawelec, 2012). By integrating the progress made in understanding the molecular basis of immune senescence with vaccinology and gerontology, current scientific knowledge could be translated into the development of vaccination strategies for the poorest countries (Pawelec, 2012; Smiline, Vijayashree and Paramasivam, 2018). Our team has rich experience in research and we have collaborated with numerous authors over various topics in the past decade (Deogade, Gupta and Ariga, 2018; Ezhilarasan, 2018; Ezhilarasan, Sokal and Najimi, 2018; Jeevanandan and Govindaraju, 2018; J et al., 2018; Menon et al., 2018; Prabakar et al., 2018; Rajeshkumar et al., 2018, 2019; Vishnu Prasad et al., 2018; Wahab et al., 2018; Dua et al., 2019; Duraisamy et al., 2019; Ezhilarasan, Apoorva and Ashok Vardhan, 2019; Gheena and Ezhilarasan, 2019; Malli Sureshbabu et al., 2019; Mehta et al., 2019; Panchal, Jeevanandan and Subramanian, 2019; Rajendran et al., 2019; Ramakrishnan, Dhanalakshmi and Subramanian, 2019; Sharma et al., 2019; Varghese, Ramesh and Veeraiyan, 2019; Gomathi et al., 2020; Samuel, Acharya and Rao. 2020)

In this review, there will be an explanation of recent advances in the domain of changes in the immune system with aging and outline our vision on changes that can be dynamically reconsidered from immunosenescence to immunoadaptation.

MATERIALS AND METHODS

This is a review study setting, discussing the gracefully aging immune system. Data for the study were collected from search engines like PubMed, Google Scholar, MeSH, Semantic scholar, Cochrane, NCBI. A total of 53 articles were selected. A total number of 50 articles were searched. A number of 29 articles with known concepts and a number of 25 articles with recent updates. Articles related to the aging immune system, articles related to change in the immune system when aging, articles related to aging of the immune system. Articles not related to aging and the immune system are excluded. The period or duration considered for reference articles is 2000-2020.

Immune changes with aging: Innate changes

The innate immune response is the most phylogenetically conserved protection in the animal kingdom that allows the organism to efficiently defend against an impressive number of aggressive pathogens (Paramasivam, Vijayashree Priyadharsini and Raghunandhakumar, 2020). This compartment is meant to recognize and react to the conserved pathogen-associated molecular patterns (external threats) and danger-associated molecular patterns (internal threats) by way of specific receptors that play a key role in the elimination of the aggressors (Priyadharsini *et al.*, 2018a).

It appears that inflamm-aging and immunosenescence progress in parallel and form a vicious cycle. Increased production of inflamm-aging contributed to a decrease of adaptive immune system response and eventually to immunosenescence(Priyadharsini *et al.*, 2018b).

In contrast, the decrease of the adaptive immune response reinforces the stimulation of innate immune response leading to inflamm-aging (Yanes *et al.*, 2017). Both processes are important not only as a cause of immune change in elderly but also because of their consequences on the aging organism(Montgomery and Shaw, 2015).

The interplay between aging and immune system

It has been well established that the immune system is compromised in aged individuals. While changes occur in both arms of immunity, innate, and adaptive, studies have demonstrated that certain specific immune responses are diminished, leaving others unaffected or exacerbated (Fülöp *et al.*, 1985). This decrease in immunity that occurs for the large part, often referred to as immune senescence has been attributed to be the basis of increased frequency and severity of infections, lowered immune surveillance of malignant cells, and decreased efficacy of vaccination in the elderly (Franceschi *et al.*, 2000). The focus of a large amount of research in immune senescence has centered on T cells largely due to their role in mediating and regulating antigen-specific responses(Franceschi *et al.*, 2000; Müller, Fülöp and Pawelec, 2013). The central role of T cells is further underscored by fewer age-associated deficiencies in the antigen-presenting cell (APC) compartment (Vidya *et al.*, 2018). As robust adaptive immunity relies on effective communication among T cells, APCs, and B cells, dysfunctional T cells significantly impact adaptive immune responses(Kufer, Nigro and Sansonetti, 2016). Functional and effective immunity to a plethora of pathogenic insults that are encountered over the

lifetime of an individual is dependent on the well-orchestrated interplay between innate and adaptive immune systems.

Immunosenescence and inflamm-aging

According to the original concept of inflamm-aging, a consequence of immunosenescence, the relatively conserved innate immune system overtakes the altered adaptive immune system in aging(Barik, 2016; Kufer, Nigro and Sansonetti, 2016). However, recent data are more in line with the interpretation that this is not a unidirectional relationship, but a mutually maintained state where immunosenescence is induced by inflamm-aging and vice versa. The main changes in the aging adaptive immune system occur in the T cell compartment (Bektas *et al.*, 2017). There is an increase in the number of memory CD8+ T cells, which were originally considered relatively non-functional (Ashwin and Muralidharan, 2015; Bektas *et al.*, 2017). These cells are characterized by the loss of naïve T cell surface markers, such as CD28, CD27, and the emergence of new senescent markers such as KLRG1(Shahana and Muralidharan, 2016).

It appears that inflamm-aging and immunosenescence progress in parallel and form a vicious cycle (Marickar, Geetha and Neelakantan, 2014). Increased production of inflammatory mediators characteristic of inflammaging contributes to the decrease of the adaptive immune response and, eventually, to immunosenescence (Marickar, Geetha and Neelakantan, 2014; Pratha, Ashwatha Pratha and Geetha, 2017). In contrast, the decrease of the adaptive immune response reinforces the stimulation of the innate immune response as the means to protect organisms from infections in the circumstances when adaptive immunity fails leading to inflamm-aging (Marickar, Geetha and Neelakantan, 2014; Pratha, Ashwatha Pratha and Geetha, 2017; Vaishali and Geetha, 2018). Both processes are important not only as causes of immune changes in the elderly but also because of their consequences in the aging organism (Effros, 1997).

A dysregulatory approach integrating the immune system and other systems

Clearly, the immune system does not exist in isolation but is influenced by and, in turn, influences many other systems such as the central and the peripheral nervous system, the endocrine system and others (Weng, Akbar and Goronzy, 2009). This fact fits perfectly with the new approach of the study of aging which states that aging is the sum of results of the dysregulation of different systems from a normal regulatory level. This state is not necessarily identical between young and old subjects and may well reflect adaptations to intrinsic and extrinsic changes related to aging (Henson *et al.*, 2009; Weng, Akbar and Goronzy, 2009; Henson, Riddell and Akbar, 2012). Thus, dysregulations are neither obligatorily detrimental nor beneficial but indicate a state of dyshomeostasis. This statement leads to the important insight that the pro-inflammatory state cannot be considered separately from the anti-inflammatory state (Henson *et al.*, 2009; Weng, Akbar and Goronzy, 2009). In this respect, this possibility will likely be expanded and nuanced by the inclusion of other systems and cellular subsystems, e.g., mitochondrial metabolism(Libri *et al.*, 2011). More broadly, this approach suggests that there are clear limits to the relatively linear, pathway-based, reductionist approaches to understanding physiology in general and immunology in particular (Schirmer *et al.*, 2002; Libri *et al.*, 2011).

Convergence of innate and adaptive immunity during immunosenescence

Aging is associated with profound changes in the human immune system, a phenomenon referred to as immunosenescence (Di Mitri *et al.*, 2011). This complex immune remodeling affects the adaptive immune system and the CD8+ T cell compartment in particular, leading to the accumulation of terminally differentiated T cells, which can rapidly exert their effector functions at the expense of a limited proliferative potential (Di Mitri *et al.*, 2011; Henson *et al.*, 2014). In this review, we will discuss evidence suggesting that senescent α -betaCD8+ T cells acquire the hallmarks of innate-like T cells and use recently acquired NK cell receptors as an alternative mechanism to mediate rapid effector functions (Girija As and Priyadharsini J, 2019). These cells concomitantly lose expression of co-stimulatory receptors and exhibit decreased T cell receptor signaling, suggesting a functional shift away from antigen-specific activation (Shahzan *et al.*, 2019). The convergence of innate and adaptive features in senescent T cells challenges the classic division between innate and adaptive immune systems. Innate-like T cells are particularly important for stress and tumor surveillance, and we propose a new role for these cells in aging, where the acquisition of innate-like functions may represent a beneficial adaptation to an increased burden of malignancy with age, although it may also pose a higher risk of autoimmune disorders (Morrisette-Thomas *et al.*, 2014).

Anti- aging factors involved in immunosenescence

In the scientific community anti-aging research refers exclusively to slowing, preventing, or reversing the aging process.Pollution and stress affect the skin in detrimental ways, according to Zoe Draelos, MD, a dermatologist in practice in High Point, NC. Aging is the natural process of growing older. Yet there are many factors that play a role in whether we age gracefully or if we are the one out of two people who age faster than our biological age. More than half of the people look older than they really are because they either engage in

behaviors that increase our aging, or we do not actively support a more youthful body through inaction. Knowledge is power, and the more you know about fighting the aging process, the more control you can take toward maintaining a healthier, younger body and mind.

Drinking & Smoking

Smoking cigarettes can also age a person in the look of their hair. Smoking cigarettes for a long time can make an individual's hair weaker and thinner and therefore give it the appearance of old and tattered rather than young and voluminous. Drinking a lot of alcohol can certainly age a person too. A person who drinks a significant amount of alcohol and or binge drinks quite frequently will most likely show some severe signs of aging earlier on than other people who do not follow these same drinking habits. It can also an individual's skin look old and leave a lot of spots.Smoking cigarettes can also age a person in his or her skin. This can cause more wrinkles and make them look older as the chemicals in cigarettes are really bad for a person to ingest and will certainly take a toll on the person's overall body in the long run.

Nutrition and skin aging

Skin has been reported to reflect the general inner-health status and aging. Nutrition and its reflection on skin has always been an interesting topic for scientists and physicians throughout the centuries worldwide. Vitamins, carotenoids, tocopherols, flavonoids and a variety of plant extracts have been reported to possess potent antioxidant properties and have been widely used in the skin care industry either as topically applied agents or oral supplements in an attempt to prolong youthful skin appearance.

Sun, cold & moisture

Age spots and other forms of discoloration can be seriously exacerbated by the sun's harmful UV rays. Our face that has spent years working on its tan appears heavily wrinkled and touch like show leather, once we pass the twenty minute mark in the sun, the benefits from absorbing necessary Vitamin D are counteracted by the damage of the UV rays to the skin.

Spending a lifetime in cold environments can have a similar effect. Rather than creating a tougher skin, the skin appears too thin and wrinkles develop. The same effect can be seen in people who use harsh acne treatments over a period of years.

When acne treatments dry out the skin, it can cause damage similar to the damage caused by cold and sun, creating a dry, tough, wrinkled face. When the skin's natural oils are depleted, the skin loses its elasticity and the face ages. Moisturizing daily, sometimes two and three times per day, and protecting the skin for the sun and damaging cold can combat these rather common effects on our aging process.

Stress

A wide range of studies has proven that the stress caused by things like untreated depression, social isolation, long-term unemployment, and anxiety attacks can speed-up the aging process by shortening the length of each DNA strand.Every human cell has 46 chromosomes—23 come from your father and 23 come from your mother. As telomeres become shorter, their structural integrity weakens, which causes cells to age faster and die younger. In human cells, telomeres are usually single-stranded DNA that contains several thousand repeats of a simple TTAGGG sequence.

At a certain point of shrinkage, cells lose their ability to divide further. This stage is known as replicative senescence. Cellular senescence is a necessary mechanism to eliminate worn-out cells, but it also appears to contribute to premature aging and shorter human lifespans.

Factors that may impact of immunosenescence Malnutrition

Malnutrition may be a consequence of energy deficit or micronutrient deficiency. It is considered the most relevant risk factor for illness and death, particularly in developing countries (Monti *et al.*, 2017). Immune cell activation and systemic pro-inflammatory mediator levels are increased in malnutrition. Malnutrition impairs immune priming by DC and monocytes and impairs effector memory T cell function (Fülöp *et al.*, 2016; Monti *et al.*, 2017). Malnutrition will decrease interleukin production and decrease the cell proliferation rate (Fülöp *et al.*, 2016; Geeraerts *et al.*, 2017; Monti *et al.*, 2017). The most relevant immunological alterations found in humans or in experimental malnutrition models that affect mechanisms associated with adaptive immunity. Severe protein malnutrition in newborns and infants is clearly associated with atrophy in the so-called primary lymphoid organs like bone marrow and thymus . Consequences are devastating because these organs are generators of B and T cell repertoires. Furthermore, malnutrition clearly affects hematopoiesis, determining anemia, leukopenia and severe reduction in the bone marrow.

Diabetes Mellitus

The increase of infections in patients with diabetes mellitus is known to depend upon an immunosuppressive condition which is brought about by impaired innate immunity and acquired immunity. Chronic hyperglycemia slows perfusion through blood vessels, causing nerve damage as time progresses. The skin, one of the key barriers in innate immunity, is no longer competent, yielding protection against trauma and inflammation (Fülöp *et al.*, 2016; Geeraerts *et al.*, 2017; Monti *et al.*, 2017; Calabrese *et al.*, 2018). Because of impaired nerves in the skin, the host may not notice trauma to the skin until an infection is present. As a result, skin and soft tissue infections are prominent in diabetes patients with chronic hyperglycemia. Along with poor management of blood glucose, cellulitis and diabetic foot ulcers could heal slower than desired and transition to more severe conditions such as osteomyelitis (Agrawal, Agrawal and Gupta, 2017).

Damaged nerves are not only noted in the skin, but in other areas of the body such as the urinary tract. With damage to the nerves in the urinary tract, urine retention will breed urinary tract infections (Johnston-Carey, Pomatto and Davies, 2016; Agrawal, Agrawal and Gupta, 2017). If the pathogen is able to invade the host without the assistance of the innate immune system, an increased risk of infection is expected (Fulop *et al.*, 2014). Hyperglycemia causes other undesirable changes in the function of the immune system such as decreased complement response, leukocyte adherence and bactericidal activity (Bryl and Witkowski, 2004).

Steroid treatment

Glucocorticoids (corticosteroids) have inhibitory effects on a broad range of immune responses. Because of their inhibitory effects on multiple types of immune cells, glucocorticoids are remarkably efficacious in managing many of the acute disease manifestations of inflammatory and autoimmune disorders (Rider, 2003). While undergoing long-term corticosteroid therapy, a patient developed a clinical and immunologic picture suggestive of common variable immunodeficiency, with predominantly qualitative and quantitative B-cell abnormalities (Fedor and Rubinstein, 2006). Due to the inhibitory effects on multiple types of immune cells, glucocorticoids are remarkably efficacious in managing many of the acute disease manifestations of inflammatory and autoimmune disorder . Our institution is passionate about high quality evidence based research and has excelled in various fields ((Pc, Marimuthu and Devadoss, 2018; Ramesh *et al.*, 2018; Vijayashree Priyadharsini, Smiline Girija and Paramasivam, 2018; Ezhilarasan, Apoorva and Ashok Vardhan, 2019; Ramadurai *et al.*, 2019; Sridharan *et al.*, 2019; Vijayashree Priyadharsini, 2019; Chandrasekar *et al.*, 2020; Mathew *et al.*, 2020; R *et al.*, 2020; Samuel, 2021)

CONCLUSION

Aging is a highly complex process but an increased understanding of the process should lead to efficient treatment of many age- related diseases. There is an intricate interrelationship between inflamm-aging and immunosenescence, which are nearly identical in some ways but very different in other aspects and, occurring in concert, mutually influencing each other. Future studies are obviously necessary to elucidate these interactions and raise targets for new interventions to decrease the deleterious effects of aging and use the beneficial effects for a better health and functionspan in the elderly.

REFERENCES

- 1. Agrawal, A., Agrawal, S. and Gupta, S. (2017) 'Role of Dendritic Cells in Inflammation and Loss of Tolerance in the Elderly', Frontiers in immunology, 8, p. 896. doi: 10.3389/fimmu.2017.00896.
- Ashwin, K. S. and Muralidharan, N. P. (2015) 'Vancomycin-resistant enterococcus (VRE) vs Methicillinresistant Staphylococcus Aureus (MRSA)', Indian Journal of Medical Microbiology, p. 166. doi: 10.4103/0255-0857.150976.
- 3. Barik, S. (2016) 'What Really Rigs Up RIG-I?', Journal of innate immunity, 8(5), pp. 429–436. doi: 10.1159/000447947.
- 4. Bektas, A. et al. (2017) 'Human T cell immunosenescence and inflammation in aging', Journal of Leukocyte Biology, pp. 977–988. doi: 10.1189/jlb.3ri0716-335r.
- 5. Bryl, E. and Witkowski, J. M. (2004) 'Decreased proliferative capability of CD4(+) cells of elderly people is associated with faster loss of activation-related antigens and accumulation of regulatory T cells', Experimental gerontology, 39(4), pp. 587–595. doi: 10.1016/j.exger.2003.10.029.
- Calabrese, V. et al. (2018) 'Aging and Parkinson's Disease: Inflammaging, neuroinflammation and biological remodeling as key factors in pathogenesis', Free Radical Biology and Medicine, pp. 80–91. doi: 10.1016/j.freeradbiomed.2017.10.379.
- 7. Chandrasekar, R. et al. (2020) 'Development and validation of a formula for objective assessment of cervical vertebral bone age', Progress in orthodontics, 21(1), p. 38. doi: 10.1186/s40510-020-00338-0.
- 8. Cohen, A. A. (2016) 'Complex systems dynamics in aging: new evidence, continuing questions', Biogerontology, 17(1), pp. 205–220. doi: 10.1007/s10522-015-9584-x.
- 9. Deogade, S., Gupta, P. and Ariga, P. (2018) 'Effect of monopoly-coating agent on the surface roughness of

a tissue conditioner subjected to cleansing and disinfection: A Contact Profilometric In vitro study', Contemporary Clinical Dentistry, p. 122. doi: 10.4103/ccd.ccd_112_18.

- 10. Di Mitri, D. et al. (2011) 'Reversible senescence in human CD4+CD45RA+CD27- memory T cells', Journal of immunology, 187(5), pp. 2093–2100. doi: 10.4049/jimmunol.1100978.
- 11. Dua, K. et al. (2019) 'The potential of siRNA based drug delivery in respiratory disorders: Recent advances and progress', Drug development research, 80(6), pp. 714–730. doi: 10.1002/ddr.21571.
- Duraisamy, R. et al. (2019) 'Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original and Nonoriginal Abutments', Implant dentistry, 28(3), pp. 289–295. doi: 10.1097/ID.00000000000885.
- 13. Effros, R. B. (1997) 'Loss of CD28 expression on T lymphocytes: A marker of replicative senescence', Developmental & Comparative Immunology, pp. 471–478. doi: 10.1016/s0145-305x(97)00027-x.
- 14. Ezhilarasan, D. (2018) 'Oxidative stress is bane in chronic liver diseases: Clinical and experimental perspective', Arab journal of gastroenterology: the official publication of the Pan-Arab Association of Gastroenterology, 19(2), pp. 56–64. doi: 10.1016/j.ajg.2018.03.002.
- 15. Ezhilarasan, D., Apoorva, V. S. and Ashok Vardhan, N. (2019) 'Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells', Journal of oral pathology & medicine: official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology, 48(2), pp. 115–121. doi: 10.1111/jop.12806.
- Ezhilarasan, D., Sokal, E. and Najimi, M. (2018) 'Hepatic fibrosis: It is time to go with hepatic stellate cellspecific therapeutic targets', Hepatobiliary & pancreatic diseases international: HBPD INT, 17(3), pp. 192– 197. doi: 10.1016/j.hbpd.2018.04.003.
- Fedor, M. E. and Rubinstein, A. (2006) 'Effects of long-term low-dose corticosteroid therapy on humoral immunity', Annals of allergy, asthma & immunology: official publication of the American College of Allergy, Asthma, & Immunology, 97(1), pp. 113–116. doi: 10.1016/S1081-1206(10)61380-4.
- 18. Franceschi, C. et al. (2000) 'Inflamm-aging. An evolutionary perspective on immunosenescence', Annals of the New York Academy of Sciences, 908, pp. 244–254. doi: 10.1111/j.1749-6632.2000.tb06651.x.
- 19. Fulop, T. et al. (2014) 'Cellular signaling in the aging immune system', Current opinion in immunology, 29, pp. 105–111. doi: 10.1016/j.coi.2014.05.007.
- 20. Fulop, T. et al. (2015) 'Frailty, Inflammation and Immunosenescence', Interdisciplinary topics in gerontology and geriatrics, 41, pp. 26–40. doi: 10.1159/000381134.
- 21. Fülöp, T. et al. (2016) 'The Role of Immunosenescence in the Development of Age-Related Diseases', Revista de investigacion clinica; organo del Hospital de Enfermedades de la Nutricion, 68(2), pp. 84–91. Available at: https://www.ncbi.nlm.nih.gov/pubmed/27103044.
- 22. Fülöp, T., Jr et al. (1985) 'Age-dependent alterations of Fc gamma receptor-mediated effector functions of human polymorphonuclear leucocytes', Clinical and experimental immunology, 61(2), pp. 425–432. Available at: https://www.ncbi.nlm.nih.gov/pubmed/2994926.
- 23. Geeraerts, X. et al. (2017) 'Macrophage Metabolism As Therapeutic Target for Cancer, Atherosclerosis, and Obesity', Frontiers in immunology, 8, p. 289. doi: 10.3389/fimmu.2017.00289.
- 24. Gheena, S. and Ezhilarasan, D. (2019) 'Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells', Human & experimental toxicology, 38(6), pp. 694–702. doi: 10.1177/0960327119839173.
- 25. Girija, A. S. S. et al. (2019) 'Plasmid-encoded resistance to trimethoprim/sulfamethoxazole mediated by dfrA1, dfrA5, sul1 and sul2 among Acinetobacter baumannii isolated from urine samples of patients with severe urinary tract infection', Journal of Global Antimicrobial Resistance, pp. 145–146. doi: 10.1016/j.jgar.2019.04.001.
- Girija As, S. and Priyadharsini J, V. (2019) 'CLSI based antibiogram profile and the detection of MDR and XDR strains of isolated from urine samples', Medical journal of the Islamic Republic of Iran, 33, p. 3. doi: 10.34171/mjiri.33.3.
- 27. Girija, S. A., Priyadharsini, J. V. and Paramasivam, A. (2019) 'Prevalence of carbapenem-hydrolyzing OXA-type β-lactamases among Acinetobacter baumannii in patients with severe urinary tract infection', Acta Microbiologica et Immunologica Hungarica, pp. 1–7. doi: 10.1556/030.66.2019.030.
- Girija, S. A. S., Jayaseelan, V. P. and Arumugam, P. (2018) 'Prevalence of VIM- and GIM-producing Acinetobacter baumannii from patients with severe urinary tract infection', Acta Microbiologica et Immunologica Hungarica, pp. 539–550. doi: 10.1556/030.65.2018.038.
- 29. Gomathi, A. C. et al. (2020) 'Anticancer activity of silver nanoparticles synthesized using aqueous fruit shell extract of Tamarindus indica on MCF-7 human breast cancer cell line', Journal of Drug Delivery Science and Technology, p. 101376. doi: 10.1016/j.jddst.2019.101376.
- Henson, S. M. et al. (2009) 'KLRG1 signaling induces defective Akt (ser473) phosphorylation and proliferative dysfunction of highly differentiated CD8+ T cells', Blood, 113(26), pp. 6619–6628. doi: 10.1182/blood-2009-01-199588.
- 31. Henson, S. M. et al. (2014) 'p38 signaling inhibits mTORC1-independent autophagy in senescent human

CD8⁺ T cells', The Journal of clinical investigation, 124(9), pp. 4004–4016. doi: 10.1172/JCI75051.

- 32. Henson, S. M., Riddell, N. E. and Akbar, A. N. (2012) 'Properties of end-stage human T cells defined by CD45RA re-expression', Current Opinion in Immunology, pp. 476–481. doi: 10.1016/j.coi.2012.04.001.
- 33. Jeevanandan, G. and Govindaraju, L. (2018) 'Clinical comparison of Kedo-S paediatric rotary files vs manual instrumentation for root canal preparation in primary molars: a double blinded randomised clinical trial', European Archives of Paediatric Dentistry, pp. 273–278. doi: 10.1007/s40368-018-0356-6.
- Johnston-Carey, H. K., Pomatto, L. C. D. and Davies, K. J. A. (2016) 'The Immunoproteasome in oxidative stress, aging, and disease', Critical Reviews in Biochemistry and Molecular Biology, pp. 268–281. doi: 10.3109/10409238.2016.1172554.
- 35. J, P. C. et al. (2018) 'Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study', Clinical implant dentistry and related research, 20(4), pp. 531–534. doi: 10.1111/cid.12609.
- Kufer, T. A., Nigro, G. and Sansonetti, P. J. (2016) 'Multifaceted Functions of NOD-Like Receptor Proteins in Myeloid Cells at the Intersection of Innate and Adaptive Immunity', Microbiology spectrum, 4(4). doi: 10.1128/microbiolspec.MCHD-0021-2015.
- Libri, V. et al. (2011) 'Cytomegalovirus infection induces the accumulation of short-lived, multifunctional CD4+CD45RA+CD27+ T cells: the potential involvement of interleukin-7 in this process', Immunology, 132(3), pp. 326–339. doi: 10.1111/j.1365-2567.2010.03386.x.
- Malli Sureshbabu, N. et al. (2019) 'Concentrated Growth Factors as an Ingenious Biomaterial in Regeneration of Bony Defects after Periapical Surgery: A Report of Two Cases', Case reports in dentistry, 2019, p. 7046203. doi: 10.1155/2019/7046203.
- Marickar, R. F., Geetha, R. V. and Neelakantan, P. (2014) 'Efficacy of Contemporary and Novel Intracanal Medicaments againstEnterococcus Faecalis', Journal of Clinical Pediatric Dentistry, pp. 47–50. doi: 10.17796/jcpd.39.1.wmw9768314h56666.
- Mathew, M. G. et al. (2020) 'Evaluation of adhesion of Streptococcus mutans, plaque accumulation on zirconia and stainless steel crowns, and surrounding gingival inflammation in primary molars: Randomized controlled trial', Clinical oral investigations, pp. 1–6. Available at: https://link.springer.com/article/10.1007/s00784-020-03204-9.
- Mehta, M. et al. (2019) 'Oligonucleotide therapy: An emerging focus area for drug delivery in chronic inflammatory respiratory diseases', Chemico-biological interactions, 308, pp. 206–215. doi: 10.1016/j.cbi.2019.05.028.
- 42. Menon, S. et al. (2018) 'Selenium nanoparticles: A potent chemotherapeutic agent and an elucidation of its mechanism', Colloids and Surfaces B: Biointerfaces, pp. 280–292. doi: 10.1016/j.colsurfb.2018.06.006.
- 43. M, M. A., Geetha, R. V. and Thangavelu, L. (2019) 'Evaluation oEvaluation of anti-inflammatory action of Laurus nobilis-an in vitro studyf anti-inflammatory action of Laurus nobilis-an in vitro study', International Journal of Research in Pharmaceutical Sciences, pp. 1209–1213. doi: 10.26452/ijrps.v10i2.408.
- Montgomery, R. R. and Shaw, A. C. (2015) 'Paradoxical changes in innate immunity in aging: recent progress and new directions', Journal of leukocyte biology, 98(6), pp. 937–943. doi: 10.1189/jlb.5MR0315-104R.
- 45. Monti, D. et al. (2017) 'Inflammaging and human longevity in the omics era', Mechanisms of Ageing and Development, pp. 129–138. doi: 10.1016/j.mad.2016.12.008.
- 46. Morrisette-Thomas, V. et al. (2014) 'Inflamm-aging does not simply reflect increases in pro-inflammatory markers', Mechanisms of Ageing and Development, pp. 49–57. doi: 10.1016/j.mad.2014.06.005.
- 47. Müller, L., Fülöp, T. and Pawelec, G. (2013) 'Immunosenescence in vertebrates and invertebrates', Immunity & ageing: I & A, 10(1), p. 12. doi: 10.1186/1742-4933-10-12.
- Panchal, V., Jeevanandan, G. and Subramanian, E. M. G. (2019) 'Comparison of post-operative pain after root canal instrumentation with hand K-files, H-files and rotary Kedo-S files in primary teeth: a randomised clinical trial', European archives of paediatric dentistry: official journal of the European Academy of Paediatric Dentistry, 20(5), pp. 467–472. doi: 10.1007/s40368-019-00429-5.
- Paramasivam, A., Vijayashree Priyadharsini, J. and Raghunandhakumar, S. (2020) 'N6-adenosine methylation (m6A): a promising new molecular target in hypertension and cardiovascular diseases', Hypertension research: official journal of the Japanese Society of Hypertension, 43(2), pp. 153–154. doi: 10.1038/s41440-019-0338-z.
- 50. Pawelec, G. (2012) 'Hallmarks of human "immunosenescence": adaptation or dysregulation?', Immunity & Ageing. doi: 10.1186/1742-4933-9-15.
- 51. Pawelec, G. (2017) 'Does the human immune system ever really become "senescent"?', F1000Research, p. 1323. doi: 10.12688/f1000research.11297.1.
- 52. Pc, J., Marimuthu, T. and Devadoss, P. (2018) 'Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study', Clinical implant dentistry and related research. Available at: https://europepmc.org/article/med/29624863.

- Prabakar, J. et al. (2018) 'Comparative Evaluation of Retention, Cariostatic Effect and Discoloration of Conventional and Hydrophilic Sealants - A Single Blinded Randomized Split Mouth Clinical Trial', Contemporary clinical dentistry, 9(Suppl 2), pp. S233–S239. doi: 10.4103/ccd.ccd_132_18.
- Pratha, A. A., Ashwatha Pratha, A. and Geetha, R. V. (2017) 'Awareness on Hepatitis-B vaccination among dental students-A Questionnaire Survey', Research Journal of Pharmacy and Technology, p. 1360. doi: 10.5958/0974-360x.2017.00240.2.
- 55. Priyadharsini, J. V. et al. (2018a) 'An insight into the emergence of Acinetobacter baumannii as an orodental pathogen and its drug resistance gene profile – An in silico approach', Heliyon, p. e01051. doi: 10.1016/j.heliyon.2018.e01051.
- 56. Priyadharsini, J. V. et al. (2018b) 'In silico analysis of virulence genes in an emerging dental pathogen A. baumannii and related species', Archives of Oral Biology, pp. 93–98. doi: 10.1016/j.archoralbio.2018.07.001.
- 57. Rajendran, R. et al. (2019) 'Comparative Evaluation of Remineralizing Potential of a Paste Containing Bioactive Glass and a Topical Cream Containing Casein Phosphopeptide-Amorphous Calcium Phosphate: An in Vitro Study', Pesquisa Brasileira em Odontopediatria e Clínica Integrada, pp. 1–10. doi: 10.4034/pboci.2019.191.61.
- 58. Rajeshkumar, S. et al. (2018) 'Biosynthesis of zinc oxide nanoparticles usingMangifera indica leaves and evaluation of their antioxidant and cytotoxic properties in lung cancer (A549) cells', Enzyme and microbial technology, 117, pp. 91–95. doi: 10.1016/j.enzmictec.2018.06.009.
- 59. Rajeshkumar, S. et al. (2019) 'Antibacterial and antioxidant potential of biosynthesized copper nanoparticles mediated through Cissus arnotiana plant extract', Journal of photochemistry and photobiology. B, Biology, 197, p. 111531. doi: 10.1016/j.jphotobiol.2019.111531.
- 60. Ramadurai, N. et al. (2019) 'Effectiveness of 2% Articaine as an anesthetic agent in children: randomized controlled trial', Clinical oral investigations, 23(9), pp. 3543–3550. doi: 10.1007/s00784-018-2775-5.
- Ramakrishnan, M., Dhanalakshmi, R. and Subramanian, E. M. G. (2019) 'Survival rate of different fixed posterior space maintainers used in Paediatric Dentistry - A systematic review', The Saudi dental journal, 31(2), pp. 165–172. doi: 10.1016/j.sdentj.2019.02.037.
- 62. Ramesh, A. et al. (2018) 'Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients A case-control study', Journal of periodontology, 89(10), pp. 1241–1248. doi: 10.1002/JPER.17-0445.
- 63. R, H. et al. (2020) 'CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene', Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, pp. 306–312. doi: 10.1016/j.0000.2020.06.021.
- 64. Rider, D. (2003) 'Oxidative inactivation of CD45 protein tyrosine phosphatase may contribute to T lymphocyte dysfunction in the elderly', Mechanisms of Ageing and Development, pp. 191–198. doi: 10.1016/s0047-6374(02)00120-3.
- 65. Samuel, S. R. (2021) 'Can 5-year-olds sensibly self-report the impact of developmental enamel defects on their quality of life?', International journal of paediatric dentistry / the British Paedodontic Society [and] the International Association of Dentistry for Children, 31(2), pp. 285–286. doi: 10.1111/ipd.12662.
- 66. Samuel, S. R., Acharya, S. and Rao, J. C. (2020) 'School Interventions-based Prevention of Early-Childhood Caries among 3-5-year-old children from very low socioeconomic status: Two-year randomized trial', Journal of public health dentistry, 80(1), pp. 51–60. doi: 10.1111/jphd.12348.
- 67. Schirmer, M. et al. (2002) 'Circulating cytotoxic CD8(+) CD28(-) T cells in ankylosing spondylitis', Arthritis research, 4(1), pp. 71–76. doi: 10.1186/ar386.
- 68. Selvakumar, R. and Np, M. (2017) 'COMPARISON IN BENEFITS OF HERBAL MOUTHWASHES WITH CHLORHEXIDINE MOUTHWASH: A REVIEW', Asian Journal of Pharmaceutical and Clinical Research, p. 3. doi: 10.22159/ajpcr.2017.v10i2.13304.
- 69. Shahana, R. Y. and Muralidharan, N. P. (2016) 'Efficacy of mouth rinse in maintaining oral health of patients attending orthodontic clinics', Research Journal of Pharmacy and Technology, p. 1991. doi: 10.5958/0974-360x.2016.00406.6.
- Shahzan, M. S. et al. (2019) 'A computational study targeting the mutated L321F of ERG11 gene in C. albicans, associated with fluconazole resistance with bioactive compounds from Acacia nilotica', Journal de Mycologie Médicale, pp. 303–309. doi: 10.1016/j.mycmed.2019.100899.
- 71. Sharma, P. et al. (2019) 'Emerging trends in the novel drug delivery approaches for the treatment of lung cancer', Chemico-biological interactions, 309, p. 108720. doi: 10.1016/j.cbi.2019.06.033.
- 72. Smiline, A. S. G., Vijayashree, J. P. and Paramasivam, A. (2018) 'Molecular characterization of plasmidencoded blaTEM, blaSHV and blaCTX-M among extended spectrum β-lactamases [ESBLs] producing Acinetobacter baumannii', British Journal of Biomedical Science, pp. 200–202. doi: 10.1080/09674845.2018.1492207.
- 73. Sridharan, G. et al. (2019) 'Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell

carcinoma', Journal of oral pathology & medicine: official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology, 48(4), pp. 299–306. doi: 10.1111/jop.12835.

- 74. Vaishali, M. and Geetha, R. V. (2018) 'Antibacterial activity of Orange peel oil on Streptococcus mutans and Enterococcus-An In-vitro study', Research Journal of Pharmacy and Technology, p. 513. doi: 10.5958/0974-360x.2018.00094.x.
- 75. Varghese, S. S., Ramesh, A. and Veeraiyan, D. N. (2019) 'Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students', Journal of dental education, 83(4), pp. 445–450. doi: 10.21815/JDE.019.054.
- 76. Vidya, M. K. et al. (2018) 'Toll-like receptors: Significance, ligands, signaling pathways, and functions in mammals', International Reviews of Immunology, pp. 20–36. doi: 10.1080/08830185.2017.1380200.
- 77. Vijayashree Priyadharsini, J. (2019) 'In silico validation of the non-antibiotic drugs acetaminophen and ibuprofen as antibacterial agents against red complex pathogens', Journal of periodontology, 90(12), pp. 1441–1448. doi: 10.1002/JPER.18-0673.
- Vijayashree Priyadharsini, J., Smiline Girija, A. S. and Paramasivam, A. (2018) 'In silico analysis of virulence genes in an emerging dental pathogen A. baumannii and related species', Archives of oral biology, 94, pp. 93–98. doi: 10.1016/j.archoralbio.2018.07.001.
- 79. Vishnu Prasad, S. et al. (2018) 'Report on oral health status and treatment needs of 5-15 years old children with sensory deficits in Chennai, India', Special care in dentistry: official publication of the American Association of Hospital Dentists, the Academy of Dentistry for the Handicapped, and the American Society for Geriatric Dentistry, 38(1), pp. 58–59. doi: 10.1111/scd.12267.
- 80. Wahab, P. U. A. et al. (2018) 'Scalpel Versus Diathermy in Wound Healing After Mucosal Incisions: A Split-Mouth Study', Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons, 76(6), pp. 1160–1164. doi: 10.1016/j.joms.2017.12.020.
- 81. Weng, N.-P., Akbar, A. N. and Goronzy, J. (2009) 'CD28(-) T cells: their role in the age-associated decline of immune function', Trends in immunology, 30(7), pp. 306–312. doi: 10.1016/j.it.2009.03.013.
- 82. Xu, W. and Larbi, A. (2017) 'Markers of T Cell Senescence in Humans', International journal of molecular sciences, 18(8). doi: 10.3390/ijms18081742.
- 83. Yanes, R. E. et al. (2017) 'Lymphocyte generation and population homeostasis throughout life', Seminars in hematology, 54(1), pp. 33–38. doi: 10.1053/j.seminhematol.2016.10.003.
- 84. Yashin, A. I. and Jazwinski, S. M. (2014) Aging and Health A Systems Biology Perspective. Karger Medical and Scientific Publishers. Available at: https://play.google.com/store/books/details?id=9PZGBQAAQBAJ.
- 85. Zierer, J. et al. (2015) 'Integration of "omics" data in aging research: from biomarkers to systems biology', Aging cell, 14(6), pp. 933–944. doi: 10.1111/acel.12386.