# ANALYSIS ON PERFORMANCE SCALABILITY AVAILABILITY AND SECURITY IN VARIOUS CLOUD ENVIRONMENT SYSTEMS

#### ATHMAKURI NAVEEN KUMAR

Senior software engineer, software developers industry, GLOSOFT Technologies PVT LTD, Hyderabad, India

Email id: shanvinaveen5@gmail.com

# **ABSTRACT:**

Cloud computing refers to the sharing of resources and computing tasks among a network of computers. Cloud computing enables us to do all of these things by utilising remote servers to transmit, store, and retrieve information. Because of the vast number of Virtual Machines available in the cloud, we now have the chance to perform parallel computations. The biggest threats to cloud computing may now come from its performance, scalability, availability, and security. In this article, we'll discuss the challenges of scalability, availability, and security in the context of cloud computing, and outline the steps we've taken to improve the safety and reliability of our infrastructure in this setting. Also, we stress cloud computing's elasticity. Also covered will be some of the key factors in achieving the promised high performance of cloud computing.

# 1. INTRODUCTION

#### 1.1 Background

The popularity and success of cloud computing has been predicted by the direction of recent trends and technological advancements. This new approach has been popular in metropolitan areas because it provides a cost-effective framework that aids in data storage, processing power, and programme development. Inefficient data control technique on the part of these gifted storage devices has led to a plethora of challenging design difficulties. The security and efficiency of the cloud system are significantly influenced by two obstacles: data privacy and data reliability. Cloud computing's appealing economics mean that users need only pay for the resources they really employ, rather than for unused capacity they never need to worry about. Everything is made available at any time, in any location, for everyone to utilise. There won't be any problems like that when using it.

The cloud computing paradigm has grown in popularity as a useful tool because it facilitates ubiquitous, on-demand access to a shared pool of configurable computing resources, including hardware, operating systems, networks, servers, storage, applications, and services. Cloud computing is sometimes defined as "a solution of network for supplied that affordable, trustworthy, uncomplicated, and straight forward permission to IT resources," which is a popular and straightforward explanation. Cloud computing is formally defined as follows by the US National Institute of Standards and Technology (NIST):

The term "computation in the cloud" refers to a service that makes a shared pool of configurable computing resources (such as networks, servers, storage, applications, and services) readily available and visible to users with minimal intervention from the users themselves.

P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2021.27.01.351



Fig. 1. A conceptual view of computing in cloud

The term "cloud computing" refers to a type of distributed computing that is dynamically configured and made available on demand. The new paradigm of massively scalable networks is distinct from the norm of conventional systems. Providing three tiers of service requires a great deal of abstraction.

Some cloud-based systems are dependent on the deployment model chosen, which can be either private, public, or a mix of the two. It's a hybrid system that uses both computer hardware and software, and it comes equipped with the three essential components needed to provide cloud services.

## 2. LITERATURER EVIEW

AES, DES, 3DES, Blowfish, RC4, IDEA, and TEA are just few of the common symmetric algorithms compared in terms of performance by Wani et al. [1].

As Basu et al. Discussions of access control systems, their proper connectivity, and the remaining set of unresolved problems in this sector round out [2]'s coverage of cloud security, virtualization difficulties, and solutions.

As Kaura et al. [3] Discussion of cloud services, potential dangers, and safety precautions

Authors Shanmugasunda ram et al. [4] Discussion of cloud, infrastructure, access control, third-party privacy, confidentiality, reliability, and data integrity security requirements. It depicts methods used to handle cloud security vulnerabilities and the difficulties associated with doing so.

Based on work by S. Kaushik et al. [5] Cloud-related assaults, threats, hazards, and security problems are outlined along with the preventative steps that can be taken to address them. The impact of various network assaults on various cloud frameworks has also been explored in the present study.

Security concerns, limits of current methods, and potential remedies are discussed by Mehra N. et al. [6].

M. Manoj Kumar et al. [7] Using different metrics of design debt, we can isolate the sources of cloud computing's design debt. While it's possible that a cloud-based service with unfinished, untested code that's available online may function well and be acceptable to users, this is not guaranteed.

Authors Timothy D.P. et al. [8] Developing a novel security approach for protecting cloud-stored data by utilising a hybrid cryptosystem. robust protection for data sent over the internet and instantaneous, trouble-free access to a pool of useful computing resources, namely the web, servers, and storage software, on demand.

R. Barona and colleagues [9] Cloud computing, various cloud models, and the key security concerns and data breach issues currently being investigated inside the cloud computing framework are introduced. data breach in the cloud: an investigation of the relevant research and challenges presents, with recommendations for service providers and an initiative to influence cloud servers to improve their key worry in the current economic climate.

The work of S.K. Sahil Sood et al. [10] Through a pay-as-you-go online service model, "cloud computing" provides scalable virtual computer resources.

# 3. SAFETY ISSUES AND APPROACHING IN CLOUD COMPUTING WITH LOAD BALANCING ALGORITHM

Information security requirements for the cloud should include a number of the topics outlined by ISO (International Organization for Standardization). In addition, this is where cloud computing security may provide direction in becoming a truly remarkable and safe technological solution. Parameters that must be met for public cloud, private cloud, and hybrid cloud data security are depicted in figure 2. Optional and required security measures are broken down in this diagram, along with cloud service descriptions for each.



# Fig. 2 Security requirements in computing of cloud.

To illustrate the intertwined nature of information security, cloud deployment and delivery approaches are shown in Figure 2. Figure 2 compares the multiple cloud delivery and deployment methods to the information security requirements, with "N" representing the required requirements and "o" representing the recommended requirements.

#### P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2021.27.01.351

#### **3.1 Security Algorithms and its parameters**

The encryption method is just one of many that must be considered for data security in cloud computing. The potential for data loss is conditional on the following factors.

- A. Reset of data
- B. Transit of data

# A. Reset of data

Resetting of	of data occurs	when a user	of clou	id storage	retrieves	their data via	the internet.	This method
utilises	real-time	data,	as	opposed	l to	previous	ly saved	copies.



Fig. 3. Data at Reset and transit.

## **B.** Transit of data

The term "data transit" describes the time period during which information is being sent to and from the cloud. Data transit happens when users store their files on the cloud. Therefore, now is a prime opportunity for hackers to steal user information; a system of encryption and decryption is necessary to stop them.



Fig. 4. A Basic Cryptography Approach

In the end, the study's authors decided that asymmetric key encryption was the best method for protecting sensitive information. In this method, the sender and the recipient will each use one of two keys—a private one and a public one—to encrypt and decode the data.

# 4. PROPOSED METHODLOGY

#### 4.1 Problem Formulation

The safety of data stored in the cloud is the most important factor to consider. There are a number of internal and external attacks that can either wipe the data or expose the most crucial details. Increased system criticality results from the network's representation of data storage as a critical resource. The more the network's accessibility, the greater the opportunity for intrusion. The security of the Cloud System can be compromised by a variety of methods, and a number of different types of data theft can take place in the Cloud. Security issues at the server level, user level, administrator level, data level, and network level are major obstacles in the Cloud. Providing safe and dependable data storage and communication in a Cloud setting calls for a robust security infrastructure. We found one such technology that offers a comprehensive fix for Cloud security problems.

## 4.2 Algorithm for (LB) Load Balancing

Cloud computing has quickly become the method of choice, with many people now taking advantage of this service. It's adaptable and simple to use, which is why it's so popular. The widespread adoption of cloud computing reflects the growing importance of expanding businesses' ability to serve clients in all regions. The performance parameters of this have also been increasing, thus it has been used. Data stored on the cloud, whether it be public, private, or a hybrid model, will be guarded with a high degree of care. The cloud is no longer merely a place to store data; it also plays a crucial role in a wide range of other domains, such as all social networking sites and numerous online programmes. When working in a cloud environment, load balancing plays a vital role since it allows for more efficient use of resources by distributing workloads evenly among nodes. This, in turn, speeds up processing times and reduces the strain on any given node. The developed algorithm is not provided in terms of previous states but is instead developed in light of the current state of affairs. While developing this algorithm, we made sure to take into account things like load assessment, load link, diverse system strength, system action, node-to-node communication, and so on.

Consider the clustered scenario, where there are different tasks

1. In this first example, we'll pretend there are many different files (X1, X2, X3,... XN).

2. split up file X1 into sub-files (x1, x2, x3, xn) based on when it arrived.

3. the data is parsed into smaller pieces based on the timestamps of the files' arrival.

4. Each partition consists of the same number of sectors (identical in size; let's use 500KB as a minimum).

5. Table 1 below displays the current state of the file chunks:

File	File Size	No of Chunks (File Size/Threshold size)
$\mathbf{X}_1$	1000 KB	2
X2	500 KB	1
X <sub>3</sub>	2000 KB	4
Total	3500 KB	7

Table 1 Status of chunks made for each file

#### P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2021.27.01.351

6. Consider the scenario below with 3 servers:

i. Chunk x1 of file X1 is allocated to server S1 and chunk x2 is allocated to server S2.

ii. Chunk x1 of file X2 is allocated to server S2.

iii. Chunk x1, x2, x3 and x4 of file X3 is allocated to S2, S3, S2, and S1 respectively

## 4.3 Architecture of Proposed Method

The proposed method is illustrated here by its graphical representation. To be more efficient, reliable, and secure than the current method, this one takes a number of files as input and progressively applies defined modules.



Fig. 5 Complete Architecture of proposed System

Figure 5 depicts the suggested method's design, which is split into two distinct types:

A. Module 1: FCFS based Load Balancer Module.

- B. Module2: Cipher text attribute based Encryption and Decryption module.
- 5. RESULTS AND DISCUSSION





#### P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2021.27.01.351

Researchers employ a graph comparison method to easily visualise the differences between the proposed and existing methods contained in their respective data sets. This also demonstrates that the proposed solution is faster for huge files than the current methods. Graph 5.1 depicts the approach used to compare the graphs.



Graph 5.2 Result Comparison of File downloading/reading process of different-different files Researchers employ a graph comparison method to easily visualise the differences between the suggested method and the existing method's files. Similar results are obtained when comparing the suggested solution to the status quo, demonstrating its superiority in terms of download speed for huge files. Also, as can be seen in Graph 5.2, this graphical strategy is put into practise based on the outcomes of seven files of varying sizes.

HDFS × +		- a ×						
← → C (0 localhoste0e0/oummy-hdts/		× 0 :						
Hadoop Distributed File System (HDFS)								
Choose File to Upload in Server								
Choose File No file chosen upload								
FILE-NAME FILE SIZE UP PROCESS TIME (KB) (Milli-Sec)	UPLOADED TIME DOWNLOAD DWN PROCESS TIME (Milli-Sec)							
Type here to search	بو م ال 🕹 💿 🖨 🕹 🗊 ا	≪ 40) 3:19 PM						

Fig. 5.1 Selection of file for uploading to the server

P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2021.27.01.351

C ● 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HDFS × +							- 0 ×	
Hadoop Distributed File System (HDFS)         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to search         Image: State to Type to search       Image: State to Type to to search         Image: State to Type to to search       Image: State to Type to	← → C (① localhost:8080/dumm	iy-hdfs/						☆ <b>0</b> :	
Close File 10 Filed to Server         Image: Server Search       Image: Searc			Hadoop D	)istributed F	ile Syste	em (HDFS)			
Territy is the format       Territy is the format <th format<="" td="" th<=""><td>Choose File to Upload in Server</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th>	<td>Choose File to Upload in Server</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Choose File to Upload in Server							
$\begin{tabular}{ c c c c c c c c c c c c c c c c c c c$	Choose File No file chosen	ipload							
US       UNUSKY       UNUSKY         Capy of NarkheecTime (2011-15).4db       125 H8       220 H6       04-Dec-2019 15:23:26       EXAMP       Not downloaded yet         Fig. 5.2 Result of one file after the uploading to the server         • 0° • 0° • 0° • 0° • 0° • 0° • 0° • 0°	FILE-NAME	FILE SIZE	UP PROCESS TIME	UPLOADED TIME	DOWNLOAD	DWN PROCESS TIME			
Image: Source of the second secon	Copy of MarksheetTrim-6 (2013-15).	(KB) xlsb 125 KB	(Milli-Sec) 220 MS	08-Dec-2019 15:23:06	click here	(Milli-Sec)			
Image: Source to search       Image: Source to search         Fig. 5.2 Result of one file after the uploading to the server         Image: Source the server									
Image: Search									
Type here to search <ul> <li>i i i i i i i i i i i i i i i i i i i</li></ul>									
Type here to search <ul> <li></li></ul>									
Image: Search									
Image: Source to search       Image: Source to search </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>									
Fig. 5.2 Result of one file after the uploading to the server Fig. 5.2 Result of one file after the uploading to the server Fig. 5.2 Result of one file after the uploading to the server Hadoop Distributed File System (HDFS) Choose File to Upload in Server Cocce File No file chosen Upload FILE NAME FILE SIZE UP PROCESS TWE UPLOADED TWE DOWNLOAD DWN PROCESS TWE (MilliSec) Cocy of MarkdheetTrime-6 (2013-15).xdb 125.82 20.M5 08-Dec-2019 15:23:06 Cock twe 40.M5									
Fig. 5.2 Result of one file after the uploading to the server	Type here to search	Ð	0 🗧 🗖	o 😆 🗟 🖉	ý		£ <sup>4</sup> ^	900 *:::::::::::::::::::::::::::::::::::	
Fig. 5.2 Result of one file after the uploading to the server		Ein 50	Desult of			leading to the	<b>h</b> a a a <i>m</i> a a <i>m</i>		
YOSS x + - 0 X     C O localhost8080/dummy-tetr/ x 0 0 1     C O localhost8080/dummy-tetr/ x 0 0 0     C O localhost8080/dummy-tetr/ x 0     C O localh		F1g. 5.2	Result of	one me artei	r the up	loading to th	ne server		
<ul> <li></li></ul>	I HOFS X	+						- 0 ×	
File System (HDFS)         Choose File to Upload in Server         Choose File No file chosen       upload         PROCESS TIME (KB)         PROCESS TIME (KB)         PROCESS TIME (KB)         Choose File (X0 13-15),Xds       125 K8       220 AS       08-Dec-2019 15:23:06       citck time       40 AS	← → C () localhost/8080/dur	mmy-h <b>df</b> s/						<b>☆ 0</b> :	
Choose File to Tpload in Server         Choose File No file chosen         UPLOADED TIME       DOWNLOAD       DWN PROCESS TIME (Millifsec)         FILE-NAME       FILE SIZE       UP PROCESS TIME (Millifsec)       DOWNLOAD       DWN PROCESS TIME (Millifsec)         Copy of MarksheetTrim-6 (2013-15).xdb       125 K8       220 MS       08-Dec-2019 15:23:06       clock hme       40 MS			Hadoop	Distributed <b>F</b>	ile Syst	em (HDFS)			
Choose File to Upload in Server          Choose File No file chosen       Upload         FILE-NAME       FILE SIZE (KB)       UP PROCESS TWE (MIII-Sec)       DWN LOAD       DWN PROCESS TIME (MIII-Sec)         Copy of MarksheetTrim-6 (2013-15).xlsb       125 KB       220 MS       08-Dec-2019 15:23:06       clock here       40 MS									
Choose File       No file chosen       upload         FILE-NAME       FILE SIZE       UP PROCESS TIME (Milli-Sec)       UPLOADED TIME       DOWNLOAD       DWN PROCESS TIME (Milli-Sec)         Copy of MarksheetTrim-6 (2013-15).xlbb       125 KB       220 MS       08-Dec-2019 15:23:06       clock here       40 MS	Choose File to Upload in Serve	er							
FILE-NAME     FILE SIZE (KB)     UP PROCESS TIME (MIIII-Sec)     UPLOADED TIME     DOWNLOAD     DWN PROCESS TIME (MIIII-Sec)       Copy of MarksheetTrim-6 (2013-15).xlsb     125 KB     220 MS     08-Dec-2019 15:23:06     clok here     40 MS	Choose File No file chosen	upload							
FILE-NAME     FILE SIZE (KB)     UP PROCESS TIME (Milli-Sec)     UPLOADED TIME     DOWNLOAD     DWN PROCESS TIME (Milli-Sec)       Copy of MarksheetTrim-6 (2013-15).xlbb     125 KB     220 MS     08-Dec-2019 15:23:06     clok here     40 MS									
Copy of MarksheetTrim-6 (2013-15).xisb 125 KB 220 MS 08-Dec-2019 15:23:06 clok here 40 MS	FILE-NAME	FILE SIZE (KB)	UP PROCESS TIME (Milli-Sec)	UPLOADED TIME	DOWNLOAD	DWN PROCESS TIME (Milli-Sec)			
	Copy of MarksheetTrim-6 (2013-15	5).xlsb 125 KB	220 MS	08-Dec-2019 15:23:06	click here	40 MS			
Convert Marticles with A	Convol Madada state							Show all X	
	<ul> <li>Copy or manismexisb</li> </ul>		9a						

Fig. 5.3 Result of uploading and downloading selected single file to the server.

## CONCLUSION

At the conclusion of this paper, the importance of security and privacy has become even more clear to us. Take the lead role in the eyes of your customers. In addition, this has raised people's consciousness about the need to protect the secrecy of their personal records and the significance of those documents in their lives. Various people are still unsure whether they can trust cloud services because of the

many pros and cons associated with them. also processing to the cloud. Through the study of securityonly problems, privacy-only problems, and interconnected privacy and security challenges, we have considerably advanced our understanding of a wide range of security and privacy issues (vulnerabilities, threats, and assaults). We found and analysed a wide variety of new controls for these issues, which we roughly divided into three groups: controls focused solely on security, controls focused solely on privacy, and controls that combined these two approaches. In addition, the proposed method is more rapid, efficient, and secure than the current method. The proposed method yields variable results depending on the file size, with the fastest speeds achieved for large files when the upload and download rates are both set at 5MB/Sec.

# REFERENCES

[1] Wani, A.R., Rana, Q.P., Pandey, N ; Performance evaluation and analysis of advanced symmetric key cryptographic algorithms for cloud computing security ;Advances in Intelligent Systems and Computing, 742, pp. 261-271, 2019 ; DOI: 10.1007/978-981-13-0589-4\_24.

[2] Basu, S., Bardhan, A., Gupta, K., Saha, P., Pal, M., Bose, M., Basu, K., Chaudhury, S., Sarkar, P.Cloud computing security challenges & solutions-A survey.2018 IEEE 8th Annual Computing and Communication Workshop and Conference, CCWC, 2018-January, pp. 347-356, 2018. DOI: 10.1109/CCWC.2018.8301700.

[3] Kaura, W.C.N., Lal, A.Survey paper on cloud computing security ;Proceedings of 2017 International Conference on Innovations in Information, Embedded and Communication Systems, ICIIECS 2017, pp. 1-6, 2018. DOI: 10.1109/ICIIECS.2017.8276134.

[4] Shanmugasundaram, G., Aswini, V., Suganya, G.A comprehensive review on cloud computing security.Proceedings of International Conference on Innovations in Information, pp. 50-71, 2018. DOI: 10.1109/ICIIECS.2017.8275972.

[5] Kaushik, S., Gandhi, C.Cloud computing security: Attacks, threats, risk and solutions (2018) International Journal of Networking and Virtual Organisations, 2018. DOI: 10.1504/IJNVO.2018.093926.

[6] Mehra, N., Aggarwal, S., Shokeen, A., Bura, D. Analyzing cloud computing security issues and challenges Advances in Intelligent Systems and Computing, 710, pp. 193-202,2018. DOI: 10.1007/978-981-10-7871-2\_19.

[7] Manoj Kumar, M., Nandakumar, A.N.Exploring multilateral cloud computing security architectural design debt in terms of technical debtSmart Innovation, Systems and Technologies, 78, pp. 567-579, 2018. DOI: 10.1007/978-981-10- 5547-8\_59.

[8] Timothy, D.P., Santra, A.K. A hybrid cryptography algorithm for cloud computing security,2017 International Conference on Microelectronic Devices, Circuits and Systems, ICMDCS2017, 2017-January, pp. 1-5, 2017. DOI: 10.1109/ICMDCS.2017.8211728.

[9] Barona, R., Anita, E.A.M. A survey on data breach challenges in cloud computing security: Issues and threats.Proceedings of IEEE International Conference on Circuit, Power and Computing Technologies, ICCPCT 2017. DOI: 10.1109/ICCPCT.2017.8074287.

[10] Sahil, Sood, S.K., Mehmi, S., Dogra, S.Designing and analysis of user profiling system for cloud computing security using fuzzy guided genetic algorithm.Proceeding - IEEE International Conference on Computing, Communication and Automation, ICCCA 2016, art. no. 7813823, pp. 724-731, 2017.
 DOI: 10.1109/CCAA.2016.7813823.