P-ISSN: 2204-1990; E-ISSN: 1323-6903 DOI: 10.47750/cibg.2020.26.02.172

A Need to Spread Awareness to Slums in Chennai About the Pandemic Covid-19 - A Review.

RAJASRI PRADEEP¹, DR A.K ANJALI^{2*}, DR MURALIDHARAN³

¹Saveetha Dental College, Saveetha Institute of Medical and Technical Sciences, Saveetha University, Chennai77

²Tutor, Department of Pathology, Saveetha Dental College, Saveetha Institute of Medical and Technical Sciences,

Saveetha University, Chennai77

³Associate Professor, Department of Microbiology, Saveetha Dental College Saveetha Institute of Medical and Technical Sciences, Saveetha University,

*Corresponding Author

Email: 151801043.sdc@saveetha.com¹, anjaliak.sdc@saveetha.com², muralidharan@saveetha.com³

Abstract: The Coronavirus disease 2019 pandemic is very worrying for global public health. This pandemic fallout highlights how the failure in the urban ruling caused a social impact of threats facing the world. Despite all the threats, the well to do urban settlements manage to get through the difficulties with public benefits, education, and all other necessities of life and despite this progress seen in humanity, slum dwellers lack even the most basic public services i.e access to clean water and sanitation. Such unsanitary conditions due to failure of extension of cleaning sewage in clustered slum areas like in Chennai, the COVID-19 will take a toll and lead to massive community spread. The congestion has currently led to an easy spread and if not controlled by the people themselves with precautionary measures, the disease rate may doubly rise. It is therefore very much necessary to spread awareness regarding the massive pandemic COVID -19 to slums in Chennai as the control of the spread becomes impossible without each and everyone's support.

Keywords: COVID-19; slums; awareness; knowledge; significance

INTRODUCTION

The coronavirus disease pandemic is indeed very worrying for global public health.(Ramesh, Siddaiah and Joseph, 2020) With the number of cases around the world rising at a rapid rate, it has become very essential for everyone to isolate themselves and take precautionary measures for better control of the disease.(Segal *et al.*, 2020)

The coronavirus is mainly seen to cause respiratory tract infections. (Mendoza *et al.*, 2020) The infection may be mild or lethal. This pandemic fallout highlights how the urban ruling has caused a social impact of threats faced by the world. (Cascella *et al.*, 2020) The community-level transmission will prove to be fatal (Alsaied *et al.*, 2020). A huge spike in the count is present and many cities have become a hotspot for the same. (Syal *et al.*, 2020)

Population density is yet another factor for more cases. In congested and unhygienic slum areas, the spread will take place easily.(Swetha, Rani and Brundha, 2020) Therefore public support is very much necessary for controlling the spread of the deadly virus.(Miao and Huang, 2012)

This ongoing coronavirus pandemic is the fallout for every human irrespective of who they are or how significant they are in society.[9] Personal care is a must because at the end of the day, a healthy you, will contribute towards having a healthy society. The majorly ill ones are fatally affected by the coronavirus but an immunized person getting exposed to the virus will not show any symptoms.(Shreya and Brundha, 2017)Our team has rich experience in research and we have collaborated with numerous authors over various topics in the past decade (Deogade, Gupta and Ariga, 2018; Ezhilarasan, 2018; Ezhilarasan, Sokal and Najimi, 2018; Jeevanandan and Govindaraju, 2018; J *et al.*, 2018; Menon *et al.*, 2018; Prabakar *et al.*, 2018; Rajeshkumar *et al.*, 2018, 2019; Vishnu Prasad *et al.*, 2018; Wahab *et al.*, 2018; Dua *et al.*, 2019; Duraisamy *et al.*, 2019; Mehta *et al.*, 2019; Panchal, Jeevanandan and Subramanian, 2019; Rajendran *et al.*, 2019; Ramakrishnan, Dhanalakshmi and Subramanian, 2019; Sharma *et al.*, 2019; Varghese, Ramesh and Veeraiyan, 2019; Gomathi *et al.*, 2020; Samuel, Acharya and Rao, 2020)

As this article deals with the awareness of people in slums regarding the massive pandemic, they must take precautionary measures advised by the government and eat enough food to attain immunity.(Varshini, Rani and Brundha, 2020)

Awareness of COVID-19 among the slum population

The well to do urban settlements manage to get through the difficulties with public benefits, education, and all other necessities of life. (Hemmati *et al.*, 2020) But slum dwellers today lack even the most basic public services like access to clean water and proper sanitation. Such unsanitary conditions due to failure of extension of cleaning sewage in clustered slum areas like in Chennai, the possibility of a massive community spread is high.(Mrudula, 2020)

Currently, the awareness status of people seems less as basic hygiene practices, and precautionary measures are not very much taken into consideration by them. (Hs, no date)This is due to a lack of proper access to current world affairs. The practice of social distancing almost seems impossible to them as they stay clustered.(Samuelsson *et al.*, no date) Poverty in slums has made it impossible for them to stay indoors as they have to look out for daily wages. This sole reason has made it difficult for even the aware ones to stay indoors. (Iacus *et al.*, 2020)

The flow of open drains and sewage should be controlled as it only adds up to the transmission of the virus. (Wang *et al.*, 2020) Garbage dumps are also seen in slum areas and such areas are a hub for the children in slums as they collect waste/scrap materials for a living. (Sharanya, 2014) Awareness regarding what should not be done should be instructed to the slum dwellers of all age groups. (Akshaya, Preejitha and Brundha, 2020)

Effect of COVID-19 in the slums of Chennai

The slums are uniquely vulnerable to the pandemic.(Saharan, Pfeffer and Baud, 2018) The prevalence of anything common in today's world is a wonder to the people of the slums.(Kushali and Brundha, 2020) COVID-19 has drastically affected the slum population from unemployment of the daily wage to quicker spread of the disease. Due to a lack of healthcare facilities, many have pre-existing medical conditions putting them at high risk of dying or developing serious complications if they get sick with the virus.(Thomas *et al.*, 2018)

The social isolation measure is devastating for the many slum dwellers where physical space is scarce and many rely on daily wage labor for survival.(Marimuthu, 2016)

The general hand-to-mouth existence of the people has only become worse with the effect of COVID - 19.(Sowbaraniya, Preejitha and Brundha, 2020) Inadequate testing is also a problem where high-risk contacts are not being identified or isolated leading to the spread.(Maxmen, 2020)

The lack of awareness of the people prevents them from seeking medical help and thus the disease pertains and spreads throughout.(Mp, Brundha and Nallaswamy, 2019) Domino effect is feared in the slums of Chennai due to the clustered pattern of just staying away at an arm's length from each other.(Friedrichsen and Balleyer, no date)

Though the government has promised distribution of essentials throughout the state, studies show that a part of the slum in Chennai gathered to protest, throwing away the social distancing norms to the wing due to uneven distribution of the relief.(Brienen *et al.*, 2010)

Therefore this pandemic has drastically affected the health, employment, and survival scheme of the slums.(Shalini and Brundha, 2016) The lack of knowledge and awareness has only worsened the situation.

Maintenance of personal hygiene is an important precaution to be followed. (Eugene, 2019)

Local authorities should take the necessary precautions to make the area clean by not letting the flow of open drains and sewage. (Aleemi, Khaliqui and Faisal, 2018) Disinfection is the key to cleanliness and hygiene and if not done properly, the spread can be easy and vast. (Sarkar, 2013) Slums in Chennai May serve as a massive hub and its prevention is necessary before it's too late.

The knowledge and awareness possessed by people will determine the control of the disease and the rate of its spread to a greater extent. (Rexlin, Preejitha and Brundha, 2020). The isolation of a single person may save millions from the disease and thus these basic practices of cleanliness should be known to them. Waste disposal is another challenge as the slums themselves have an area for garbage collection and this alone serves as a hub for plenty of other diseases.(Li *et al.*, 2020) This has caused pre-existing illness among people.(Deepika, Preejitha and Brundha, 2020)

and thus the effect of coronavirus will further complicate the already terminally ill.(Reichal, Rani and Brundha, 2020)

Essentiality of spreading awareness

As discussed earlier, there is no doubt on whether or not it is essential to spread awareness.(Harsha and Brundha, 2017) If the disease is struck at slums where hygiene is questionable, it's elimination will be difficult and so will the containment.(Ananya, Rani and Brundha, 2020)

A very essential part of preventing any outbreak is to follow precautions. (Dhivyadharshini and Brundha, 2020) Any negligence can cost the lives of not just an individual but also the public. Mortality rates are increasing day

Rajasri Pradeep et al / A Need to Spread Awareness to Slums in Chennai About the Pandemic Covid-19 - A Review

by day in Chennai. Slums are in disarray and very prone to illness (Lund and Ayers, 2020). Sanitation to be properly followed by people of all age groups. It is necessary to ensure that this is known to everyone and the severity of the disease should also be known. (Zhao *et al.*, 2020)Information let out by the government which is shared in social media platforms and news channels should be somehow made available and accessible and this has to be ensured by the local authorities.(Kumar *et al.*, 2020) From children to people of all age groups should be let known the gravity of the disease and its spread.(Chandrasekhar and Brundha, 2016)[44]Our institution is passionate about high quality evidence based research and has excelled in various fields ((Pc, Marimuthu and Devadoss, 2018; Ramesh *et al.*, 2018; Vijayashree Priyadharsini, Smiline Girija and Paramasivam, 2018; Ezhilarasan, Apoorva and Ashok Vardhan, 2019; Ramadurai *et al.*, 2020; R *et al.*, 2020; Samuel, 2021)

CONCLUSION

It is very much necessary to spread awareness regarding the massive pandemic COVID-19 to slums in Chennai as the control of the spread becomes impossible without public support. (Naveenaa, Rani and Brundha, 2020)Slums need better sanitation facilities and it is a must to inculcate knowledge regarding personal hygiene and other precautionary measures like the use of mouth masks and sanitizers, practice of social distancing.

Normal routine is in disarray but that should be properly realized and accepted for the well being of the society. Slums in Chennai, May serve as a hub or a common hotspot, but necessary precautions said by the government must be strictly followed.

Essential food items are being distributed by the government for free, so this should be taken advantage of by the people. Immunity plays a major role in how much the coronavirus can affect a person even if he/she gets exposed to the virus. The gravity of the disease should be known to all of them for not just their safety but also for the safety of the community and thus the world.

Therefore, it can be concluded that it is very essential to spread awareness and inculcate knowledge among the people of slums in Chennai.

REFERENCES

- 1. Akshaya, R., Preejitha, V. B. and Brundha, M. P. (2020) 'A survey study of gender-related anxiety and fear on dental care among the patients visiting Saveetha Dental College and Hospital', *Drug Invention Today*, 13(2).
- Aleemi, A. R., Khaliqui, H. and Faisal, A. (2018) 'Challenges and Patterns of Seeking Primary Health Care in Slums of Karachi: A Disaster Lurking in Urban Shadows', *Asia-Pacific journal of public health / Asia-Pacific Academic Consortium for Public Health*, 30(5), pp. 479–490. doi: 10.1177/1010539518772132.
- 3. Alsaied, T. *et al.* (2020) 'Coronavirus Disease 2019 (COVID-19) Pandemic Implications in Pediatric and Adult Congenital Heart Disease', *Journal of the American Heart Association*, p. e017224. doi: 10.1161/JAHA.120.017224.
- 4. Ananya, B., Rani, S. L. and Brundha, M. P. (2020) 'Knowledge and attitude of probiotics among outpatients visiting dental operatory', *Drug Invention Today*, 14(2).
- 5. Brienen, N. C. J. et al. (2010) 'The Effect of Mask Use on the Spread of Influenza During a Pandemic', *Risk Analysis*, pp. 1210–1218. doi: 10.1111/j.1539-6924.2010.01428.x.
- 6. Cascella, M. *et al.* (2020) 'Features, Evaluation and Treatment Coronavirus (COVID-19)', in *StatPearls*. Treasure Island (FL): StatPearls Publishing. Available at: https://www.ncbi.nlm.nih.gov/pubmed/32150360.
- 7. Chandrasekar, R. *et al.* (2020) 'Development and validation of a formula for objective assessment of cervical vertebral bone age', *Progress in orthodontics*, 21(1), p. 38. doi: 10.1186/s40510-020-00338-0.
- Chandrasekhar, H. and Brundha, M. P. (2016) 'Awareness of polycystic ovarian disease among females of age group 30-50 years', *Journal of Pharmaceutical*. Available at: http://search.proquest.com/openview/9967649d7b350b784f953753172406a2/1?pqorigsite=gscholar&cbl=54977.
- 9. Deepika, R., Preejitha, V. B. and Brundha, M. P. (2020) 'Knowledge and awareness of blood/body fluid spill management among the third year dental students', *Drug Invention Today*, 14(2).
- Deogade, S., Gupta, P. and Ariga, P. (2018) 'Effect of monopoly-coating agent on the surface roughness of a tissue conditioner subjected to cleansing and disinfection: A Contact Profilometric In vitro study', *Contemporary Clinical Dentistry*, p. 122. doi: 10.4103/ccd.ccd_112_18.
- 11. Dhivyadharshini, J. and Brundha, M. P. (2020) 'Comparison of effects of interpretation of lab reports among the undergraduate dental students', *Drug Invention Today*, 14(3).
- 12. Dua, K. *et al.* (2019) 'The potential of siRNA based drug delivery in respiratory disorders: Recent advances and progress', *Drug development research*, 80(6), pp. 714–730. doi: 10.1002/ddr.21571.
- Duraisamy, R. *et al.* (2019) 'Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original and Nonoriginal Abutments', *Implant dentistry*, 28(3), pp. 289–295. doi: 10.1097/ID.0000000000885.

Rajasri Pradeep et al / A Need to Spread Awareness to Slums in Chennai About the Pandemic Covid-19 - A Review

- 14. Eugene, M. (2019) 'Review of "Water, sanitation and hygiene in Bangladeshi slums: an evaluation of the WaterAid-Bangladesh urban programme". doi: 10.14322/publons.r5671693.
- 15. Ezhilarasan, D. (2018) 'Oxidative stress is bane in chronic liver diseases: Clinical and experimental perspective', *Arab journal of gastroenterology: the official publication of the Pan-Arab Association of Gastroenterology*, 19(2), pp. 56–64. doi: 10.1016/j.ajg.2018.03.002.
- Ezhilarasan, D., Apoorva, V. S. and Ashok Vardhan, N. (2019) 'Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells', *Journal of oral pathology & medicine: official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology*, 48(2), pp. 115–121. doi: 10.1111/jop.12806.
- 17. Ezhilarasan, D., Sokal, E. and Najimi, M. (2018) 'Hepatic fibrosis: It is time to go with hepatic stellate cellspecific therapeutic targets', *Hepatobiliary & pancreatic diseases international: HBPD INT*, 17(3), pp. 192–197. doi: 10.1016/j.hbpd.2018.04.003.
- 18. Friedrichsen, J. and Balleyer, A. (no date) 'The Behavioral Effect of Facial Masks During the COVID-19 Pandemic', *AEA Randomized Controlled Trials*. doi: 10.1257/rct.5735.
- 19. Gheena, S. and Ezhilarasan, D. (2019) 'Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells', *Human & experimental toxicology*, 38(6), pp. 694–702. doi: 10.1177/0960327119839173.
- Gomathi, A. C. *et al.* (2020) 'Anticancer activity of silver nanoparticles synthesized using aqueous fruit shell extract of Tamarindus indica on MCF-7 human breast cancer cell line', *Journal of Drug Delivery Science and Technology*, p. 101376. doi: 10.1016/j.jddst.2019.101376.
- 21. Harsha, L. and Brundha, M. P. (2017) 'Prevalence of dental developmental anomalies among men and women and its psychological effect in a given population', *Journal of pharmaceutical sciences*. Available at: http://search.proquest.com/openview/1f488cc6e377096f44a87e509aceab79/1?pq-origsite=gscholar&cbl=54977.
- 22. Hemmati, F. *et al.* (2020) 'Mysterious Virus: A Review on Behavior and Treatment Approaches of the Novel Coronavirus, 2019-nCoV', *Archives of medical research*. doi: 10.1016/j.arcmed.2020.04.022.
- Hs, H. (no date) 'Mengenal Makna Bela Negara di Masa Pandemi Virus Corona (Know the Meaning of Defending the Country in the Corona Virus Pandemic Period)', SSRN Electronic Journal. doi: 10.2139/ssrn.3575683.
- 24. Iacus, S. M. *et al.* (2020) 'Estimating and projecting air passenger traffic during the COVID-19 coronavirus outbreak and its socio-economic impact', *Safety Science*, p. 104791. doi: 10.1016/j.ssci.2020.104791.
- 25. Jeevanandan, G. and Govindaraju, L. (2018) 'Clinical comparison of Kedo-S paediatric rotary files vs manual instrumentation for root canal preparation in primary molars: a double blinded randomised clinical trial', *European Archives of Paediatric Dentistry*, pp. 273–278. doi: 10.1007/s40368-018-0356-6.
- 26. J, P. C. *et al.* (2018) 'Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study', *Clinical implant dentistry and related research*, 20(4), pp. 531–534. doi: 10.1111/cid.12609.
- 27. Kumar, J. *et al.* (2020) 'Knowledge, Attitude, and Practices of Healthcare Workers Regarding the Use of Face Mask to Limit the Spread of the New Coronavirus Disease (COVID-19)', *Cureus*, 12(4), p. e7737. doi: 10.7759/cureus.7737.
- 28. Kushali, R. and Brundha, M. P. (2020) 'Prevalence and awareness on computer vision syndrome among individuals in information technology', *Drug Invention Today*, 14(3).
- 29. Li, T. *et al.* (2020) 'The Novel Coronavirus Disease (COVID-19) Complicated by Pulmonary Embolism and Acute Respiratory Distress Syndrome', *Journal of medical virology*. doi: 10.1002/jmv.26068.
- Lund, E. M. and Ayers, K. B. (2020) 'Raising awareness of disabled lives and health care rationing during the COVID-19 pandemic', *Psychological trauma: theory, research, practice and policy*. doi: 10.1037/tra0000673.
- Malli Sureshbabu, N. *et al.* (2019) 'Concentrated Growth Factors as an Ingenious Biomaterial in Regeneration of Bony Defects after Periapical Surgery: A Report of Two Cases', *Case reports in dentistry*, 2019, p. 7046203. doi: 10.1155/2019/7046203.
- 32. Marimuthu, P. (2016) 'Tuberculosis prevalence and socio-economic differentials in the slums of four metropolitan cities of India', *The Indian journal of tuberculosis*, 63(3), pp. 167–170. doi: 10.1016/j.ijtb.2016.08.007.
- Mathew, M. G. *et al.* (2020) 'Evaluation of adhesion of Streptococcus mutans, plaque accumulation on zirconia and stainless steel crowns, and surrounding gingival inflammation in primary molars: Randomized controlled trial', *Clinical oral investigations*, pp. 1–6. Available at: https://link.springer.com/article/10.1007/s00784-020-03204-9.
- 34. Maxmen, A. (2020) 'Scientists baffled by decision to stop a pioneering coronavirus testing project', *Nature*. doi: 10.1038/d41586-020-01543-x.
- 35. Mehta, M. et al. (2019) 'Oligonucleotide therapy: An emerging focus area for drug delivery in chronic inflammatory respiratory diseases', *Chemico-biological interactions*, 308, pp. 206–215. doi:

Rajasri Pradeep et al / A Need to Spread Awareness to Slums in Chennai About the Pandemic Covid-19 - A Review

10.1016/j.cbi.2019.05.028.

- 36. Mendoza, E. J. *et al.* (2020) 'Two Detailed Plaque Assay Protocols for the Quantification of Infectious SARS-CoV-2', *Current protocols in microbiology*, 57(1), p. ecpmc105. doi: 10.1002/cpmc.105.
- 37. Menon, S. *et al.* (2018) 'Selenium nanoparticles: A potent chemotherapeutic agent and an elucidation of its mechanism', *Colloids and Surfaces B: Biointerfaces*, pp. 280–292. doi: 10.1016/j.colsurfb.2018.06.006.
- Miao, Y.-Y. and Huang, J.-H. (2012) 'Prevalence and associated psychosocial factors of increased hand hygiene practice during the influenza A/H1N1 pandemic: findings and prevention implications from a national survey in Taiwan', *Tropical Medicine & International Health*, pp. 604–612. doi: 10.1111/j.1365-3156.2012.02966.x.
- 39. Mp, B., Brundha, M. P. and Nallaswamy, D. (2019) 'Hide and seek in pathology- A research on gamebased histopathology learning', *International Journal of Research in Pharmaceutical Sciences*, pp. 1410– 1414. doi: 10.26452/ijrps.v10i2.606.
- 40. Mrudula, O. (2020) 'Impact of Corona Virus A Statistical Evaluation', *Journal of Advanced Research in Dynamical and Control Systems*, pp. 399–407. doi: 10.5373/jardcs/v12i3/20201207.
- 41. Naveenaa, N., Rani, S. L. and Brundha, M. P. (2020) 'Knowledge, attitude, and perception on the importance of hematological report among general population', *Drug Invention Today*, 14(2).
- 42. Panchal, V., Jeevanandan, G. and Subramanian, E. M. G. (2019) 'Comparison of post-operative pain after root canal instrumentation with hand K-files, H-files and rotary Kedo-S files in primary teeth: a randomised clinical trial', *European archives of paediatric dentistry: official journal of the European Academy of Paediatric Dentistry*, 20(5), pp. 467–472. doi: 10.1007/s40368-019-00429-5.
- 43. Pc, J., Marimuthu, T. and Devadoss, P. (2018) 'Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study', *Clinical implant dentistry and related research*. Available at: https://europepmc.org/article/med/29624863.
- 44. Prabakar, J. *et al.* (2018) 'Comparative Evaluation of Retention, Cariostatic Effect and Discoloration of Conventional and Hydrophilic Sealants A Single Blinded Randomized Split Mouth Clinical Trial', *Contemporary clinical dentistry*, 9(Suppl 2), pp. S233–S239. doi: 10.4103/ccd.ccd_132_18.
- 45. Rajendran, R. et al. (2019) 'Comparative Evaluation of Remineralizing Potential of a Paste Containing Bioactive Glass and a Topical Cream Containing Casein Phosphopeptide-Amorphous Calcium Phosphate: An in Vitro Study', Pesquisa Brasileira em Odontopediatria e Clínica Integrada, pp. 1–10. doi: 10.4034/pboci.2019.191.61.
- 46. Rajeshkumar, S. *et al.* (2018) 'Biosynthesis of zinc oxide nanoparticles usingMangifera indica leaves and evaluation of their antioxidant and cytotoxic properties in lung cancer (A549) cells', *Enzyme and microbial technology*, 117, pp. 91–95. doi: 10.1016/j.enzmictec.2018.06.009.
- 47. Rajeshkumar, S. *et al.* (2019) 'Antibacterial and antioxidant potential of biosynthesized copper nanoparticles mediated through Cissus arnotiana plant extract', *Journal of photochemistry and photobiology*. *B*, *Biology*, 197, p. 111531. doi: 10.1016/j.jphotobiol.2019.111531.
- 48. Ramadurai, N. *et al.* (2019) 'Effectiveness of 2% Articaine as an anesthetic agent in children: randomized controlled trial', *Clinical oral investigations*, 23(9), pp. 3543–3550. doi: 10.1007/s00784-018-2775-5.
- 49. Ramakrishnan, M., Dhanalakshmi, R. and Subramanian, E. M. G. (2019) 'Survival rate of different fixed posterior space maintainers used in Paediatric Dentistry A systematic review', *The Saudi dental journal*, 31(2), pp. 165–172. doi: 10.1016/j.sdentj.2019.02.037.
- 50. Ramesh, A. *et al.* (2018) 'Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients A case-control study', *Journal of periodontology*, 89(10), pp. 1241–1248. doi: 10.1002/JPER.17-0445.
- Ramesh, N., Siddaiah, A. and Joseph, B. (2020) 'Tackling Corona Virus Disease 2019 (COVID 19) in Workplaces', *Indian journal of occupational and environmental medicine*, 24(1), pp. 16–18. doi: 10.4103/ijoem.IJOEM_49_20.
- 52. Reichal, C. P., Rani, S. L. and Brundha, M. P. (2020) 'Occurrence of behavioral changes and its management in persons with mental illness due to lunar effects', *Drug Invention Today*, 14(2).
- 53. Rexlin, P. E., Preejitha, V. B. and Brundha, M. P. (2020) 'Age-related differences of heart rate and respiratory rate in the age group of 45-55 years--A regression analysis', *Drug Invention Today*, 14(2).
- R, H. *et al.* (2020) 'CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene', *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology*, pp. 306–312. doi: 10.1016/j.0000.2020.06.021.
- 55. Saharan, T., Pfeffer, K. and Baud, I. (2018) 'Shifting approaches to slums in Chennai: Political coalitions, policy discourses and practices', *Singapore Journal of Tropical Geography*, pp. 454–471. doi: 10.1111/sjtg.12244.
- 56. Samuel, S. R. (2021) 'Can 5-year-olds sensibly self-report the impact of developmental enamel defects on their quality of life?', *International journal of paediatric dentistry / the British Paedodontic Society [and] the International Association of Dentistry for Children*, 31(2), pp. 285–286. doi: 10.1111/ipd.12662.

- 57. Samuel, S. R., Acharya, S. and Rao, J. C. (2020) 'School Interventions-based Prevention of Early-Childhood Caries among 3-5-year-old children from very low socioeconomic status: Two-year randomized trial', *Journal of public health dentistry*, 80(1), pp. 51–60. doi: 10.1111/jphd.12348.
- 58. Samuelsson, K. *et al.* (no date) 'Urban nature as a source of resilience during social distancing amidst the coronavirus pandemic'. doi: 10.31219/osf.io/3wx5a.
- 59. Sarkar, M. (2013) 'Personal hygiene among primary school children living in a slum of Kolkata, India', *Journal of preventive medicine and hygiene*, 54(3), pp. 153–158. Available at: https://www.ncbi.nlm.nih.gov/pubmed/24783893.
- 60. Segal, D. *et al.* (2020) 'Measures to Limit COVID-19 Outbreak Effects Among Military Personnel: Preliminary Data', *Military medicine*. doi: 10.1093/milmed/usaa112.
- 61. Shalini, M. and Brundha, M. P. (2016) 'Breast Cancer-A Survey among Female Population in Chennai', *Journal of Pharmaceutical.* Available at: http://search.proquest.com/openview/cb442019c0f7fa7950a3f9228e124f38/1?pqorigsite=gscholar&cbl=54977.
- 62. Sharanya, T. (2014) 'Reproductive health status and life skills of adolescent girls dwelling in slums in Chennai, India', *The National medical journal of India*, 27(6), pp. 305–310. Available at: https://www.ncbi.nlm.nih.gov/pubmed/26133325.
- 63. Sharma, P. *et al.* (2019) 'Emerging trends in the novel drug delivery approaches for the treatment of lung cancer', *Chemico-biological interactions*, 309, p. 108720. doi: 10.1016/j.cbi.2019.06.033.
- 64. Shreya, S. and Brundha, M. P. (2017) 'Alteration of Haemoglobin Value in Relation to Age, Sex and Dental Diseases-A Retrospective Correlation Study', *Research Journal of Pharmacy and Technology*, p. 1363. doi: 10.5958/0974-360x.2017.00241.4.
- 65. Sowbaraniya, S. M., Preejitha, V. B. and Brundha, M. P. (2020) 'Knowledge, awareness, and attitude on dental post-operative complications in diabetes among general population', *Drug Invention Today*, 13(2).
- 66. Sridharan, G. *et al.* (2019) 'Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell carcinoma', *Journal of oral pathology & medicine: official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology*, 48(4), pp. 299–306. doi: 10.1111/jop.12835.
- 67. Swetha, G., Rani, S. L. and Brundha, M. P. (2020) 'Awareness of the side effects of vaccination among general public', *Drug Invention Today*, 14(3).
- 68. Syal, R. et al. (2020) 'The emotional impact of over suspicion in the corona virus pandemic', Journal of clinical anesthesia, 64, p. 109844. doi: 10.1016/j.jclinane.2020.109844.
- 69. Thomas, S. *et al.* (2018) 'Socio-demographic and household attributes may not necessarily influence malaria: evidence from a cross sectional study of households in an urban slum setting of Chennai, India', *Malaria journal*, 17(1), p. 4. doi: 10.1186/s12936-017-2150-z.
- Varghese, S. S., Ramesh, A. and Veeraiyan, D. N. (2019) 'Blended Module-Based Teaching in Biostatistics and Research Methodology: A Retrospective Study with Postgraduate Dental Students', *Journal of dental education*, 83(4), pp. 445–450. doi: 10.21815/JDE.019.054.
- 71. Varshini, A., Rani, S. L. and Brundha, M. P. (2020) 'Awareness of annual doctor checkups among general population', *Drug Invention Today*, 14(2).
- 72. Vijayashree Priyadharsini, J. (2019) 'In silico validation of the non-antibiotic drugs acetaminophen and ibuprofen as antibacterial agents against red complex pathogens', *Journal of periodontology*, 90(12), pp. 1441–1448. doi: 10.1002/JPER.18-0673.
- Vijayashree Priyadharsini, J., Smiline Girija, A. S. and Paramasivam, A. (2018) 'In silico analysis of virulence genes in an emerging dental pathogen A. baumannii and related species', *Archives of oral biology*, 94, pp. 93–98. doi: 10.1016/j.archoralbio.2018.07.001.
- 74. Vishnu Prasad, S. *et al.* (2018) 'Report on oral health status and treatment needs of 5-15 years old children with sensory deficits in Chennai, India', *Special care in dentistry: official publication of the American Association of Hospital Dentists, the Academy of Dentistry for the Handicapped, and the American Society for Geriatric Dentistry, 38(1), pp. 58–59. doi: 10.1111/scd.12267.*
- 75. Wahab, P. U. A. *et al.* (2018) 'Scalpel Versus Diathermy in Wound Healing After Mucosal Incisions: A Split-Mouth Study', *Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons*, 76(6), pp. 1160–1164. doi: 10.1016/j.joms.2017.12.020.
- 76. Wang, D. et al. (2020) 'Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirus–Infected Pneumonia in Wuhan, China', JAMA: the journal of the American Medical Association, 323(11), pp. 1061–1069. doi: 10.1001/jama.2020.1585.
- Zhao, Y. *et al.* (2020) 'Analysis of the Transmissibility Change of 2019-Novel Coronavirus Pneumonia and Its Potential Factors in China from 2019 to 2020', *BioMed research international*, 2020, p. 3842470. doi: 10.1155/2020/3842470.